



Woven Design Mats

Better Comfort Spaces



2021



Woven Technical Products

"Our brand company provides textile solutions for architecture, focusing on commercial and residential use. We specialize in manufacturing woven technical fabrics for sun protection, floor and wall coverings, area rugs and various mats."

Ask Sample Free



China Made

Since 1997



Woven Technical Mats



Create Your
Own Design ~

We offer
so much
more than
woven mats.



ECO BEAUTY® ADVANTAGE



Water
Proof

Our vinyl rugs are 100% waterproof making them suitable for virtually any application.



Sustainable

Sustainable manufacturing is an ongoing process of improvement, a process we will forge on in the future and that is essential to our core values.



Slip
Resistant

Our vinyl rugs provide superior slip resistance properties. This makes them suitable for virtually any commercial application, providing an extra level of safety



IS Certified
Product

We get both ISO 9001 and ISO 14001 certifications



Fire
Resistant

PVC has an amorphous structure and contains halogens like chlorine and fluorine what enables flexible PVC to be so resistant to flame



Durability

Unlike textile, carpet rugs, our vinyl rugs can be durable than others.



UV Ray
Resistant


Our vinyl rugs is UV-stable and even comes with a 3-year UV Fade Warranty, so you can rest assured it will look great for years to come.



Low
Maintenance

This product is ease to maintain. Stains wipe clean with just water and a rag or towel. It can also be mopped, vacuumed and hot water extracted.

ECO BEAUTY® MATS RANGE



Sizes Availability

45x75 cm, 50x98 cm
45x110 cm, 50x115 cm
46x76 cm, 50x120 cm
46x120 cm, 50x140 cm
50x80 cm, Ø30, Ø50 cm

Over Locked Edge

• Mainly Used in Mats



Knife Direct Cut

• Used in Mats & Rugs



Thickness

6-20mm

Backing

black & brown
pvc foam

Mats Fabric Patterns

Delux

HOT

Elegant

HOT

More model options, please contact us,
E:sam@theflooring.pro,
Whatsapp: +86-198-8317-9548,
W: <https://theflooring.pro/collection/delux>
<https://theflooring.pro/collection/elegant>



21013




21014



21025



21038




21042



22015



44013



44022



44032




51002BP



51008-BP-1



51013BP



52001BP



52004BP



52032BP

HOT

ECO BEAUTY® FLOOR MATS



01




03



04




02




05



Delux No.21027




Delux No.22012



Delux No.21019




Delux No.21018





Elegant No.52024



Jacquard No.8014-5



Jacquard No.8093



HOT

ECO BEAUTY® PRINTED MATS





Patterns Selection




(Customization Support)



























— TO BE CONTINUED —

Just Contact and Tell us
What You Want

TECHNICAL SPECIFICATIONS



FLOOR MATS

Technical Specifications	Standard	Mats
Warranty	–	3 years*
 Composition	–	95%PVC + 5%PES
 Total Weight	ISO 8543	2700 g/m ² 12mm thickness 3300 g/m ² 15mm thickness 3600 g/m ² 20mm thickness
 Thickness	ISO 1765	6 – 20 mm
 Light Fastness	EN ISO 105-B02	≥ 6
 Dimensional Stability	EN 986 ISO 2551	≤ 0.25%
 Castor Chair Suitability	EN 985:2002	Intensive Use
 Sound Insulation	ISO 10140	12 dB
 Thermal Resistance	ISO 8302	Suitable for Underfloor Heating
 Static Electricity	ISO 6356	< 2KV
 Slip Resistance	EN13893	≥ 0,3 0,85 R9 65
 Reaction to Fire	EN 13501-1	Bfl-s1
 CE Certificate	EN 14041	NO.EC.1282. OA140305.AYD0738
 Level of Use	EN 1307:2014	Class 33 Heavy Commercial Use

All specifications are based on average values and may deviate. The values are for guidance and are not contractual. Subject to technical modifications.

The straight weft is not an inherent condition. Weaving technology features colour effects because of light, making it an exclusive and unique product. Also bicolour yarns create a randomly harmonious effect. These effects are no ground for claims.

CERTIFICATIONS



ECO BEAUTY® China

Bamboo Industrial Zone, Huzhou City, Zhejiang Province, China

Export Sales Direct: +86-572-5705325

China Fax: +86-572-5216088

Export Fax: +86-572-5216088

Tel.: +86-198 8317 9548

Whatsapp.: +86-198 8317 9548

Email: Sam@theflooring.pro

Website: <https://theflooring.pro>

ECO BEAUTY™
Premium Woven Design Mats